

FILTERS

THE AQUA BLOCK

- Arrow's most popular Carbon Block Filter.
- Made from 1st Quality Coconut Shell Carbon
- Radial Flow for 100% Filtration
- Steam Activated for Maximum Porosity
- NSF Approved

Aqua Block Coconut Shell Carbon Block Filters

Taste, Odor & Chlorine Removal

10" x 2 1/2"

	Micron
14-AB0110	1
14-AB0510	5
14-AB1010	10

20" x 2 1/2"

	Micron
14-AB0120	1
14-AB0520	5
14-AB1020	10

10" x 4 1/2"

	Micron
14-AB0110BB	1
14-AB0510BB	5
14-AB1010BB	10

20" x 4 1/2"

	Micron
14-AB0120BB	1
14-AB0520BB	5
14-AB1020BB	10

Fluoride/Arsenic Removal Carbon Block Filter

Taste, Odor, Chlorine Fluoride & Arsenic Removal

10" x 2 1/2"

	Micron
14-ABF0510	5

Lead Removal Carbon Block Filter

Taste, Odor, Chlorine, Lead & Heavy Metal Reduction

10" x 2 1/2"

	Micron
14-ABL0510	5



FILTERS



KX Carbon Block Filters

* NSF APPROVED



Matrikx +CTO/2

5 Micron Nominal Filtration, Chlorine, Taste, & Odor

P/N	Length	Diam	Gallons
14-KXCTO/20	20"	2 1/2"	>12,000
14-KXCTO410	9 7/8"	4 1/4"	>12,000
14-KXCTO420	20"	4 1/4"	>26,000

Matrikx + Pb1, Lead Reduction

.5 Micron Nominal Filtration, Lead Reduction; Removes Cysts, Giardia & Cryptosporidium.

P/N	Length	Diam	Gallons
14-KXPB1	9 7/8"	2 1/2"	>6,000
14-KXPB1/20	20"	2 1/2"	>12,000

Matrikx + 10/2

5 Micron Nominal Filtration.

P/N	Length	Diam	Gallons
14-KX10/2	9 7/8"	2 1/2"	>6,000

Matrikx + CR1

.5 Micron Nominal Filtration, Lead Reduction; Removes Cysts, Giardia & Cryptosporidium.

P/N	Length	Diam	Gallons
14-KXCR1	9 7/8"	2 1/2"	>10,000

Matrikx + 1

.6 Micron Nominal Filtration, High VOC Reduction.

P/N	Length	Diam	Gallons
14-KXMTRX1	9 7/8"	2 1/2"	>20,000

Carbon Impregnated Cellulose Filters

Economical Answer to Filtering Sediment, Chlorine, Taste & Odor. Dual Purpose Media.



P/N	Length	Diam	Micron
14-0056	5"	2 1/2"	5
14-0055	9 7/8"	2 1/2"	5
14-0080	9 7/8"	2 1/2"	20
14-0090	20"	2 1/2"	5

OMNIPURE FILTERS

Omnipure E-Series Filters

Everpure Replacement Filters



G.A.C. Block 10 Micron

Chlorine, Taste & Odor Reduction

P/N	Size
14-OE5321	2 1/2" x 6"
14-OE5421	2 1/2" x 8"
14-OE5521	2 1/2" x 10"
14-OE5621	2 1/2" x 12"
14-OE5721	2 1/2" x 14"

G.A.C Block 10 Micron with Scale Inhibitor

GAC w/ Polyphosphate, Chlorine, Taste & Odor Reduction, Scale Inhibitor

P/N	Size
14-OE5321-P	2 1/2" x 6"
14-OE5421-P	2 1/2" x 8"
14-OE5521-P	2 1/2" x 10"
14-OE5621-P	2 1/2" x 12"
14-OE5721-P	2 1/2" x 14"

Granular Activated Carbon

Chlorine, Taste & Odor Reduction

P/N	Size
14-OE5336	2 1/2" x 6"
14-OE5436	2 1/2" x 8"
14-OE5536	2 1/2" x 10"
14-OE5636	2 1/2" x 12"
14-OE5736	2 1/2" x 14"

G.A.C. and Polyphosphate

Chlorine, Taste & Odor Reduction, Scale Inhibitor

P/N	Size
14-OE5386	2 1/2" x 6"
14-OE5486	2 1/2" x 8"
14-OE5586	2 1/2" x 10"
14-OE5686	2 1/2" x 12"
14-OE5786	2 1/2" x 14"

Omnipure E-Series Filters

G.A.C. Block 1 Micron

Cyst, Chlorine, Taste & Odor Reduction

P/N	Size
14-OE5320	2 1/2" x 6"
14-OE5420	2 1/2" x 8"
14-OE5520	2 1/2" x 10"
14-OE5620	2 1/2" x 12"
14-OE5720	2 1/2" x 14"

G.A.C Block 1 Micron with Scale Inhibitor

GAC w/ Polyphosphate Cyst, Chlorine, Taste & Odor Reduction. Scale Inhibitor

P/N	Size
14-OE5320-P	2 1/2" x 6"
14-OE5420-P	2 1/2" x 8"
14-OE5520-P	2 1/2" x 10"
14-OE5620-P	2 1/2" x 12"
14-OE5720-P	2 1/2" x 14"

G.A.C Block 1 Micron with Lead Specific Media

Cyst Reduction, Chlorine, Taste & Odor Reduction, Lead Reduction

P/N	Size
14-OE5315	2 1/2" x 6"
14-OE5415	2 1/2" x 8"
14-OE5515	2 1/2" x 10"
14-OE5615	2 1/2" x 12"
14-OE5715	2 1/2" x 14"

G.A.C Block 1 Micron with Lead Specific Media & Scale Inhibitor

Cyst Reduction, Chlorine, Taste & Odor Reduction, Lead Reduction & Scale Inhibitor

P/N	Size
14-OE5515-P	2 1/2" x 10"
14-OE5615-P	2 1/2" x 12"
14-OE5715-P	2 1/2" x 14"

G.A.C. Block 1 Micron w/ KDF

Cyst Reduction, Chlorine, Taste & Odor Reduction. All the benefits of KDF too!

P/N	Size
14-OE5320K	2 1/2" x 6"
14-OE5420K	2 1/2" x 8"
14-OE5520K	2 1/2" x 10"
14-OE5620K	2 1/2" x 12"
14-OE5720K	2 1/2" x 14"

OMNIPURE FILTERS

Omnipure K-Series Filters



G.A.C. & 1/2 LB. KDF

Chlorine, Taste & Odor Reduction

P/N	Desc
14-K2567BB	2" x 10", w/ 1/4" Female Pipe
14-K2567CC	2" x 10", w/ 3/8" Female Pipe
14-K2567JJ	2" x 10", w/ 1/4" Quick Connect
14-K2567KK	2" x 10", w/ 3/8" Quick Connect
14-K5567BB	2 1/2" x 10", w/ 1/4" Female Pipe
14-K5567CC	2 1/2" x 10", w/ 3/8" Female Pipe
14-K5567JJ	2 1/2" x 10", w/ 1/4" Quick Connect
14-K5567KK	2 1/2" x 10", w/ 3/8" Quick Connect

G.A.C. & 1 LB. KDF

Chlorine, Taste & Odor Reduction

14-K2568BB	2" x 10", w/ 1/4" Female Pipe
14-K2568CC	2" x 10", w/ 3/8" Female Pipe
14-K2568JJ	2" x 10", w/ 1/4" Quick Connect
14-K2568KK	2" x 10", w/ 3/8" Quick Connect
14-K5568BB	2 1/2" x 10", w/ 1/4" Female Pipe
14-K5568CC	2 1/2" x 10", w/ 3/8" Female Pipe
14-K5568JJ	2 1/2" x 10", w/ 1/4" Quick Connect
14-K5568KK	2 1/2" x 10", w/ 3/8" Quick Connect

LEAD REMOVAL G.A.C. - 10 MICRON

Chlorine, Taste & Odor Reduction

14-K2560BB	2" x 10", w/ 1/4" Female Pipe
14-K2560CC	2" x 10", w/ 3/8" Female Pipe
14-K2560JJ	2" x 10", w/ 1/4" Quick Connect
14-K2560KK	2" x 10", w/ 3/8" Quick Connect

Lead Removal Carbon Block 1 Micron - Removes Cysts,

Chlorine, Taste & Odor Reduction

14-K2515BB	2" x 10", w/ 1/4" Female Pipe
14-K2515CC	2" x 10", w/ 3/8" Female Pipe
14-K2515JJ	2" x 10", w/ 1/4" Quick Connect
14-K2515KK	2" x 10", w/ 3/8" Quick Connect
14-K5515BB	2 1/2" x 10", w/ 1/4" Female Pipe
14-K5515CC	2 1/2" x 10", w/ 3/8" Female Pipe
14-K5515JJ	2 1/2" x 10", w/ 1/4" Quick Connect
14-K5515KK	2 1/2" x 10", w/ 3/8" Quick Connect

Omnipure K-Series Filters



All Calcite

P/N	Desc
14-K2548BB	2" x 10", w/ 1/4" Female Pipe
14-K2548CC	2" x 10", w/ 3/8" Female Pipe
14-K2548JJ	2" x 10", w/ 1/4" Quick Connect
14-K2548KK	2" x 10", w/ 3/8" Quick Connect

1/2 G.A.C. & 1/2 Calcite

Chlorine, Taste & Odor Reduction, Re-Mineralizer

14-K2549BB	2" x 10", w/ 1/4" Female Pipe
14-K2549CC	2" x 10", w/ 3/8" Female Pipe
14-K2549JJ	2" x 10", w/ 1/4" Quick Connect
14-K2549KK	2" x 10", w/ 3/8" Quick Connect

1/2 Calcite & 1/2 Corosex

Re-Mineralizer

14-K2550BB	2" x 10", w/ 1/4" Female Pipe
14-K2550CC	2" x 10", w/ 3/8" Female Pipe
14-K2550JJ	2" x 10", w/ 1/4" Quick Connect
14-K2550KK	2" x 10", w/ 3/8" Quick Connect

1/2 G.A.C. & 1/2 Corosex

Chlorine, Taste & Odor Reduction, Re-Mineralizer

14-K2551BB	2" x 10", w/ 1/4" Female Pipe
14-K2551CC	2" x 10", w/ 3/8" Female Pipe
14-K2551JJ	2" x 10", w/ 1/4" Quick Connect
14-K2551KK	2" x 10", w/ 3/8" Quick Connect

Mixed Bed D-I - ION EXCHANGE CARTRIDGE

14-K2555BB	2" x 10", w/ 1/4" Female Pipe
14-K2555CC	2" x 10", w/ 3/8" Female Pipe
14-K2555JJ	2" x 10", w/ 1/4" Quick Connect
14-K2555KK	2" x 10", w/ 3/8" Quick Connect
14-K5555BB	2 1/2" x 10", w/ 1/4" Female Pipe
14-K5555CC	2 1/2" x 10", w/ 3/8" Female Pipe
14-K5555JJ	2 1/2" x 10", w/ 1/4" Quick Connect
14-K5555KK	2 1/2" x 10", w/ 3/8" Quick Connect

OMNIPURE FILTERS

Omnipure K-Series Filters



G.A.C Coconut Shell Carbon Filters

Chlorine, Taste & Odor Reduction

P/N	Desc
14-K2336BB	2" x 6", w/ 1/4" Female Pipe
14-K2336CC	2" x 6", w/ 3/8" Female Pipe
14-K2336JJ	2" x 6", w/ 1/4" Quick Connect
14-K2336KK	2" x 6", w/ 3/8" Quick Connect
14-K2536BB	2" x 10", w/ 1/4" Female Pipe
14-K2536CC	2" x 10", w/ 3/8" Female Pipe
14-K2536JJ	2" x 10", w/ 1/4" Quick Connect
14-K2536KK	2" x 10", w/ 3/8" Quick Connect
14-K2536SJ	2" x 10", w/ 1/4" Straight & 1/4" Angle QC
14-K2536SS	2" x 10", w/ 1/4" Angle QC Both Ends
14-K5636BB	2 1/2" x 12", w/ 1/4" Female Pipe
14-K5636CC	2 1/2" x 12", w/ 3/8" Female Pipe
14-K5636JJ	2 1/2" x 12", w/ 1/4" Quick Connect
14-K5636KK	2 1/2" x 12", w/ 3/8" Quick Connect

Scale Inhibitor / Phosphate Dispenser

Premium Grade Polyphosphate

P/N	Desc
14-K2385BB	2" x 6", w/ 1/4" Female Pipe
14-K2585BB	2" x 10", w/ 1/4" Female Pipe

G.A.C. & Polyphosphate

Chlorine, Taste & Odor Reduction with Scale Inhibitor

P/N	Desc
14-K2386BB	2" x 6", w/ 1/4" Female Pipe
14-K2386CC	2" x 6", w/ 3/8" Female Pipe
14-K2386JJ	2" x 6", w/ 1/4" Quick Connect
14-K2386KK	2" x 6", w/ 3/8" Quick Connect
14-K2586BB	2" x 10", w/ 1/4" Female Pipe
14-K2586CC	2" x 10", w/ 3/8" Female Pipe
14-K2586JJ	2" x 10", w/ 1/4" Quick Connect
14-K2586KK	2" x 10", w/ 3/8" Quick Connect
14-K5686BB	2 1/2" x 12", w/ 1/4" Female Pipe
14-K5686CC	2 1/2" x 12", w/ 3/8" Female Pipe
14-K5686JJ	2 1/2" x 12", w/ 1/4" Quick Connect
14-K5686KK	2 1/2" x 12", w/ 3/8" Quick Connect

5 Micron Sediment Filters

P/N	Desc
14-K2505BB	2" x 10", w/ 1/4" Female Pipe
14-K2505CC	2" x 10", w/ 3/8" Female Pipe
14-K2505JJ	2" x 10", w/ 1/4" Quick Connect
14-K2505KK	2" x 10", w/ 3/8" Quick Connect
14-K2505SJ	2" x 10", w/ 1/4" Straight & 1/4" Angle QC
14-K2505SS	2" x 10", w/ 1/4" Angle QC Both Ends

Omnipure ELF-Series Filters

(Extra Large Format)



G.A.C Block 1 Micron

Chlorine, Taste & Odor Reduction Cyst Reduction

P/N	Length
14-ELF1M	10"
14-ELFXL1M	15"

G.A.C. Block 1 Micron with Lead Specific Media

GAC w/ Polyphosphate, Taste, Odor, & Chlorine Reduction, Cyst Reduction, Lead Reduction

P/N	Length
14-ELF1ML	10"
14-ELFXL1ML	15"

G.A.C. Block 1 Micron with Scale Inhibitor

GAC w/ Polyphosphate, Chlorine, Taste & Odor Reduction, Scale Inhibitor

P/N	Length
14-ELF1M-P	10"
14-ELFXL1MP	15"

G.A.C. Block 1 Micron with Scale Inhibitor & Lead Specific Media

GAC w/ Polyphosphate, Chlorine, Taste & Odor Reduction, Cyst Reduction, Lead Reduction Scale Inhibitor

P/N	Length
14-ELF1ML-P	10"
14-ELFXL1LP	15"

G.A.C. Block 10 Micron

Chlorine, Taste & Odor Reduction

P/N	Length
14-ELF10M	10"
14-ELFXL10M	15"

G.A.C Block 10 Micron with Scale Inhibitor

GAC w/ Polyphosphate, Chlorine, Taste & Odor Reduction

P/N	Length
14-ELF10M-P	10"
14-ELFXL10P	15"

OMNIPURE FILTERS

Omnipure Q-Series Filters



Omnipure Q-Series Filters



G.A.C Block 1 Micron

Cyst, Chlorine, Taste & Odor Reduction

P/N	Size	Gallons
14-OQ5320	2 1/2" x 6"	1500
14-OQ5420	2 1/2" x 8"	2000
14-OQ5520	2 1/2" x 10"	2500
14-OQ5620	2 1/2" x 12"	3000
14-OQ5720	2 1/2" x 14"	3500

G.A.C. Block 10 Micron

Chlorine, Taste & Odor Reduction

P/N	Size	Gallons
14-OQ5321	2 1/2" x 6"	1500
14-OQ5421	2 1/2" x 8"	2000
14-OQ5521	2 1/2" x 10"	2500
14-OQ5621	2 1/2" x 12"	3000
14-OQ5721	2 1/2" x 14"	3500

G.A.C Block 1 Micron with Scale Inhibitor

GAC w/ Polyphosphate, Cyst Reduction, Chlorine, Taste & Odor Reduction, Scale Inhibitor

P/N	Size	Gallons
14-OQ5320-P	2 1/2" x 6"	1000
14-OQ5420-P	2 1/2" x 8"	1500
14-OQ5520-P	2 1/2" x 10"	2000
14-OQ5620-P	2 1/2" x 12"	2500
14-OQ5720-P	2 1/2" x 14"	3000

G.A.C Block 10 Micron with Scale Inhibitor

GAC w/ Polyphosphate, Chlorine, Taste & Odor Reduction, Scale Inhibitor

P/N	Size	Gallons
14-OQ5321-P	2 1/2" x 6"	1000
14-OQ5421-P	2 1/2" x 8"	1500
14-OQ5521-P	2 1/2" x 10"	2000
14-OQ5621-P	2 1/2" x 12"	2500
14-OQ5721-P	2 1/2" x 14"	3000

G.A.C Block 1 Micron with Lead Specific Media

Cyst Reduction, Chlorine, Taste & Odor Reduction, Lead Reduction

P/N	Size	Gallons
14-OQ5315	2 1/2" x 6"	750
14-OQ5415	2 1/2" x 8"	1000
14-OQ5515	2 1/2" x 10"	1250
14-OQ5615	2 1/2" x 12"	1500
14-OQ5715	2 1/2" x 14"	2000

Granular Activated Carbon

Chlorine, Taste & Odor Reduction

P/N	Size	Gallons
14-OQ5336	2 1/2" x 6"	1250
14-OQ5436	2 1/2" x 8"	1500
14-OQ5536	2 1/2" x 10"	2000
14-OQ5636	2 1/2" x 12"	2500
14-OQ5736	2 1/2" x 14"	3000

G.A.C. Block 1 Micron with Scale Inhibitor and Lead Specific Media

GAC w/ Polyphosphate, Chlorine, Taste & Odor Reduction, Cyst Reduction, Lead Reduction Scale inhibitor

P/N	Size	Gallons
14-OQ5315-P	2 1/2" x 6"	750
14-OQ5415-P	2 1/2" x 8"	1000
14-OQ5515-P	2 1/2" x 10"	1250
14-OQ5615-P	2 1/2" x 12"	1500
14-OQ5715-P	2 1/2" x 14"	2000

Coconut Shell Carbon (Acid Washed)

Chlorine, Taste & Odor Reduction

P/N	Size	Gallons
14-OQ5340	2 1/2" x 6"	1250
14-OQ5440	2 1/2" x 8"	1500
14-OQ5540	2 1/2" x 10"	2000
14-OQ5640	2 1/2" x 12"	2500
14-OQ5740	2 1/2" x 14"	3000

OMNIPURE FILTERS

Omnipure Q-Series Filters



GAC and Polyphosphate Combo

Taste and Odor Reduction, Scale Inhibitor

P/N	Size	Gallons
14-OQ5386	2 1/2" x 6"	1000
14-OQ5486	2 1/2" x 8"	1250
14-OQ5586	2 1/2" x 10"	1500
14-OQ5686	2 1/2" x 12"	2000
14-OQ5786	2 1/2" x 14"	2500

Block Media Sediment Reduction

Polypropylene Depth Filtration, Reduction of Sediment down to 5 Microns, Protects Downline Equipment

P/N	Size
14-OQ5305	2 1/2" x 6"
14-OQ5405	2 1/2" x 8"
14-OQ5505	2 1/2" x 10"
14-OQ5605	2 1/2" x 12"
14-OQ5705	2 1/2" x 14"

"Q" Series Kits

Has Valve in Head Unit, Coconut Carbon & Phosphate, Taste and Odor Reduction, Scale Inhibitor

1/4" THREADED HEAD

P/N	Size	Gallons
14-OQ53864P	6"	1000
14-OQ54864P	8"	1250
14-OQ55864P	10"	1500
14-OQ56864P	12"	2000
14-OQ57864P	14"	2500

3/8" THREADED HEAD

P/N	Size	Gallons
14-OQ53866P	6"	1000
14-OQ54866P	8"	1250
14-OQ55866P	10"	1500
14-OQ56866P	12"	2000
14-OQ57866P	14"	2500

Omnipure Q-Series Filters



TFC Membranes Series Housings

14-OQ557235	10"	35 GPD
14-OQ557250	10"	50 GPD
14-OQ567280	12"	80 GPD

Accessories

14-OQMB Mounting Bracket

HEADS WITHOUT VALVES

14-OQH4	1/4" FIP
14-OQH6	3/8" FIP
14-OQH4QC	1/4" Quick Connect
14-OQH6QC	3/8" Quick Connect

HEADS WITH VALVES

14-OQVH	1/4" FIP
14-OQVH6	3/8" FIP

E & ELF Series Accessories

HEADS WITHOUT VALVES

14-OELFH6	3/8" FIP
14-OELFH6QC	3/8" Quick Connect

HEADS WITH VALVES

14-OELFVH6	3/8" Quick Connect
------------	--------------------

BRACKET

14-OELFBKT	Steel Elf Bracket
------------	-------------------



OMNIPURE
 Recognized as an
 industry leader in quality water
 treatment components since 1970.

ARIES FILTERS

Coconut Shell G.A.C. Filters

P/N	Size
14-101052	2 1/2" x 10"
14-201052	2 1/2" x 20"
14-101046BB	4 1/2" x 10"
14-201046BB	4 1/2" x 20"



Fluoride Removal Filters

P/N	Size
14-103690	2 1/2" x 10"
14-203690	2 1/2" x 20"
14-103690BB	4 1/2" x 10"
14-203690BB	4 1/2" x 20"

Phosphate/Coconut G.A.C. Filters

P/N	Size
14-103302	0.25 lb. Phosphate, 2 1/2" x 10"
14-103305	0.50 lb. Phosphate, 2 1/2" x 10"
14-203310	1 lb. Phosphate, 2 1/2" x 20"
14-203312	2 lb. Phosphate, 2 1/2" x 20"
14-103311BB	1 lb. Phosphate, 4 1/2" x 10"
14-103312BB	2 lb. Phosphate, 4 1/2" x 10"
14-203312BB	2 lb. Phosphate, 4 1/2" x 20"
14-203314BB	4 lb. Phosphate, 4 1/2" x 20"

Nitrate Removal Filters

P/N	Size
14-103610	2 1/2" x 10"
14-203610	2 1/2" x 20"
14-103610BB	4 1/2" x 10"
14-203610BB	4 1/2" x 20"

Bituminous G.A.C. Filters

P/N	Size
14-101051	2 1/2" x 10"
14-201051	2 1/2" x 20"
14-101041BB	4 1/2" x 10"
14-201041BB	4 1/2" x 20"

Arsenic Removal Filters

P/N	Size
14-103695	2 1/2" x 10"
14-203695	2 1/2" x 20"
14-103695BB	4 1/2" x 10"
14-203695BB	4 1/2" x 20"

KDF-55 with G.A.C. Filters

P/N	Size
14-102010	0.5 lb, 2 1/2" x 10"
14-202011	1 lb, 2 1/2" x 20"
14-202012	2 lb, 2 1/2" x 20"
14-102012BB	2 lb, 4 1/2" x 10"
14-202015BB	5 lb, 4 1/2" x 20"

Perchlorate Removal Filters

P/N	Size
14-103611	2 1/2" x 10"
14-203611	2 1/2" x 20"
14-103611BB	4 1/2" x 10"
14-203611BB	4 1/2" x 20"

KDF-85 with G.A.C. Filters

P/N	Size
14-102210	0.5 lb, 2 1/2" x 10"
14-102211	1 lb, 2 1/2" x 10"
14-202212	2 lb, 2 1/2" x 20"
14-102212BB	2 lb, 4 1/2" x 10"
14-202215BB	5 lb, 4 1/2" x 20"

Catalytic Carbon G.A.C. Filters

P/N	Size
14-101053	2 1/2" x 10"
14-201053	2 1/2" x 20"
14-101042BB	4 1/2" x 10"
14-201042BB	4 1/2" x 20"

CARTRIDGE FILTERS

Cartridge Filters

GAC (Granulated Activated Carbon)



P/N
14-DH0038T

Desc
Import, 9 7/8" x 2 1/2"



P/N
14-ORB2934

Desc
Omnipure, 9 7/8" x 2 1/2"

Cartridge Coupler



P/N
14-5003
14-5005

Desc
Cartridge Coupler
Big Blue Cartridge Coupler

Hardness Removal Cartridges

P/N	Size
14-103003	2 1/2" x 10"
14-203003	2 1/2" x 20"
14-103003BB	4 1/2" x 10"
14-203003BB	4 1/2" x 20"

Phosphate Dispenser



P/N	Size
14-103323	12 oz., 2 1/2" x 10"
14-103328	16 oz., 2 1/2" x 10"
14-103324	18 oz., 2 1/2" x 10"
14-103321	24 oz., 2 1/2" x 10"
14-203322	32 oz., 2 1/2" x 20"
14-103326BB	48 oz., 4 1/2" x 10"
14-203327BB	80 oz., 4 1/2" x 20"

Calcor Filters

P/N	Size
14-103232	2 1/2" x 10"
14-203232	2 1/2" x 20"
14-103232BB	4 1/2" x 10"
14-203232BB	4 1/2" x 20"

Calcor & Coconut G.A.C. Filters

P/N	Size
14-104210	2 1/2" x 10"
14-204210	2 1/2" x 20"
14-104210BB	4 1/2" x 10"
14-204210BB	4 1/2" x 20"

High Purity Deionizer Cartridges

P/N	Size
14-104010	2 1/2" x 10"
14-204010	2 1/2" x 20"
14-104010BB	4 1/2" x 10"
14-204010BB	4 1/2" x 20"

Low Odor Mixed Bed Cartridges

P/N	Size
14-104020	2 1/2" x 10"
14-204020	2 1/2" x 20"
14-104020BB	4 1/2" x 10"
14-204020BB	4 1/2" x 20"

FILTERS

String Wound Sediment Filters

10" x 2 1/2"

P/N	Micron
14-PW0110	1
14-PW0510	5
14-PW1010	10
14-PW2010	20
14-PW2510	25
14-PW3010	30

20" x 2 1/2"

P/N	Micron
14-PW0120	1
14-PW0520	5
14-PW1020	10
14-PW2020	20
14-PW2520	25

10" x 4 1/2"

P/N	Micron
14-PW0110BB	1
14-PW0510BB	5
14-PW1010BB	10
14-PW2010BB	20
14-PW2510BB	25
14-PW3010BB	30
14-PW5010BB	50

20" x 4 1/2"

P/N	Micron
14-PW0120BB	1
14-PW0520BB	5
14-PW1020BB	10
14-PW2020BB	20
14-PW2520BB	25
14-PW3020BB	30

30" x 4 1/2"

P/N	Micron
14-PW0130BB	1
14-PW0530BB	5
14-PW1030BB	10
14-PW2030BB	20
14-PW2530BB	25
14-PW3030BB	30



Pleated Polyester Filters

10" x 2 1/2"

P/N	Micron
14-PE0110	1
14-PE0510	5
14-PE1010	10
14-PE2010	20
14-PE2510	25
14-PE3010	30
14-PE5010	50

20" x 2 1/2"

P/N	Micron
14-PE0120	1
14-PE0520	5
14-PE1020	10
14-PE2020	20
14-PE2520	25
14-PE3020	30
14-PE5020	50

10" x 4 1/2"

P/N	Micron
14-PE0110BB	1
14-PE0510BB	5
14-PE1010BB	10
14-PE2010BB	20
14-PE2510BB	25
14-PE3010BB	30
14-PE5010BB	50

20" x 4 1/2"

P/N	Micron
14-PE0120BB	1
14-PE0520BB	5
14-PE1020BB	10
14-PE2020BB	20
14-PE2520BB	25
14-PE3020BB	30
14-PE5020BB	50

30" x 4 1/2"

P/N	Micron
14-PE0130BB	1
14-PE0530BB	5
14-PE1030BB	10
14-PE2030BB	20
14-PE2530BB	25
14-PE3030BB	30



FILTERS

Melt Blown Sediment Filters

10" x 2 5/8"

P/N	Micron
14-PM0110	1
14-PM0510	5
14-PM1010	10
14-PM2010	20
14-PM2510	25
14-PM3010	30
14-PM5010	50

20" x 2 5/8"

P/N	Micron
14-PM0120	1
14-PM0520	5
14-PM1020	10
14-PM2020	20
14-PM2520	25
14-PM3020	30
14-PM5020	50

30" x 2 5/8"

P/N	Micron
14-PM0130	1
14-PM0530	5
14-PM2030	20
14-PM3030	30

10" x 4 1/2"

P/N	Micron
14-PM0110BB	1
14-PM0510BB	5
14-PM1010BB	10
14-PM2010BB	20
14-PM2510BB	25
14-PM5010BB	50

20" x 4 1/2"

P/N	Micron
14-PM0120BB	1
14-PM0520BB	5
14-PM1020BB	10
14-PM2520BB	25
14-PM3020BB	30
14-PM5020BB	50



Spun Polypropylene Filters

10" x 2 5/8"



P/N	Micron
14-PS0110	1
14-PS0510	5
14-PS1010	10
14-PS2010	20
14-PS3010	30

20" x 2 5/8"

P/N	Micron
14-PS0120	1
14-PS0520	5
14-PS1020	10

In-Line R.O. Filters



14-RCL1043E

P/N	Desc
14-RCL643E	6" x 2", 1/4" FIP, GAC Type 33
14-RCL1043E	10" x 2", 1/4" FIP, GAC Type 33

In-Line Ice Maker Filters



14-SCL1004T

P/N	Desc
14-SCL1004T	10" x 2", 1/4" FIP, GAC & Polyphosphate

In-Line R.O. Pure "T" Filter



P/N	Desc.
14-L634Q	6" R.O. Post Filter w/1/4" Quick Connect GAC Type 36
14-L638Q	6" R.O. Post Filter w/3/8" Quick Connect GAC Type 36
14-L104Q	10" R.O. Post Filter w/1/4" Quick Connect GAC Type 36
14-L106Q	10" R.O. Post Filter w/3/8" Quick Connect GAC Type 36

FILTERS

Alkaline Filters



P/N	Desc.
14-BIO-8	8" x 2 1/2" Anti-Oxidant Alkaline Filter
14-BIO-11	11" x 2 1/2" Anti-Oxidant Alkaline Filter
14-BIO-14	14" x 2 1/2" Anti-Oxidant Alkaline Filter
14-BIO-20	20" x 2 1/2" Anti-Oxidant Alkaline Filter
14-BIO-20BB	20" x 4 1/2" Anti-Oxidant Alkaline Filter

Biocera specializes in the manufacture of mineral-based water filters that can produce ionized alkaline water with a number of highly specialized products.

Features of Anti-Oxidant Alkaline Filter

- Flushes acidic metabolites and toxins from the cellular level
- Supplies health sustaining minerals such as Ca, K, Na, Mg to help metabolism
- Contains smaller water clusters (51.497 Hz) that hydrates the body up to 3 times more effectively than normal water.
- Facilitates nutrients and mineral absorptions efficiently
- Promotes general well-being by restoring and balancing the body
- Improves the reducing power of water by removing harmful active oxygen (=free radicals).
- Makes water taste better
- Increases pH and lowers ORP (Oxygen Reduction Potential)

Clack & Hydrotek Filters



Sediment

P/N	Size	Media	Capacity
14-RS22SED5	1.8" x 11.65"	5 Micron	3-6 months

Carbon

14-RS22CB5	1.8" x 11.65"	10 Micron	3,000 Gallons
------------	---------------	-----------	---------------

Culligan Filters



Sediment

P/N	Size	Media	Capacity
14-RS23SED5	1.8" x 12"	5 Micron	3-6 months

Carbon

14-RS23CB5	1.8" x 12"	10 Micron	3,000 Gallons
------------	------------	-----------	---------------

Products Features

Sediment Filters:

- Spun Bonded Polypropylene Filter
- 5 Micron Nominal
- Reduces dirt, sand and sediment

Carbon Blocks:

- Coconut Shell GAC
- Advanced Binder Technology
- Unique Compression Molded process
- 10 Micron Nominal
- Chlorine Capacity: 3,000 gallons @ 0.50 gpm
- Can be used as both the Carbon Prefilter and Postfilter
- Replace every 6 months or as needed

SCALE DEFENDER

SCALE PREVENTION SYSTEM



**PORTABLE
FOOTPRINT**

**PRECISION
ENGINEERED**

**FAST EASY
CHANGE OUT**

**DURABLE
DESIGN**



P/N

14-SCL2520
14-SCL250FC

Desc.


Scale Defender
Replacement Filter

Features & Benefits

- ScaleDEFENDER is a point-of-use system installed at the cold water line before the water heater.
- ScaleDEFENDER protects heat exchanger and other system components against corrosion from mineral buildup.
- 5 micron, melt blown sediment filter with polyphosphate scale inhibitor
- 2-1/2" x 20" system with 3/4" ports
- Maximum working pressure of 125 psi.
- Every ScaleDEFENDER system includes housing, filter, pressure gauges, mounting bracket, wrench, and hardware to complete installation.
- Suitable for other applications where scale control is needed such as commercial icemakers and dishwashers.



Without ScaleDEFENDER



With ScaleDEFENDER

**PROTECT YOUR
TANKLESS WATER HEATER
"DEFEND" AGAINST SCALE AND CORROSION**

PROTECT YOUR INVESTMENT



TESTERS

Water Pressure Gauge-Analog



11-PG100P	100psi	Rear Connect
11-PG100S	100psi	Side Connect
11-PG150P	150psi	Rear Connect
11-PG150S	150psi	Side Connect
11-PG300S	300psi	Side Connect
11-PG150T	150psi	Rear Connect

*All gauges are 1/4" male pipe thread except for item 11-PG150T which has 1/8" male pipe thread

TDS Meters



P/N	Desc.
14-TDSDUAL	0 to 9990ppm, Dual Cup
14-TDS3	0 to 9990ppm, w/Case
14-TDS1-S	TDS Calibration Solution
14-TDS-EZ	0 to 9990ppm, NO Case
14-TDS-4	Pocket Size Meter
14-TRM-1	Triple Inline TDS Monitor
14-TZT-2	Handheld TDS Meter
14-TQC1	Quick Check TDS Monitor

Air Pressure Gauge-Digital



11-PG200	0 to 150 psi, w/ Light
----------	------------------------

Water Gauge



P/N	DESC
80-1423	Lazy Hand 2 1/2" x 160 lbs.

pH-Fix Test Strips



P/N	Includes
14-PHSTRIPS	100 color-fixed pH indicator strips

Total Hardness Test Kit



P/N	Includes
14-T5B	Solution, reagent, measuring tube, square bottle & measuring scoop.



P/N	Desc
14-T5S	Hardness 3 Solution, 100 mL MDB

pH Meters



P/N	Desc
14-TPH-80	Waterproof Hydro Tester
14-TPH-200	Waterproof pH Temperature Meter
14-TPH-STOR	pH Electrode Storage Solution.
14-TPH-BUF	Buffer Solution (12 Powder Packets)

O. R. P. Meters



P/N	Desc
14-TORP-200	Waterproof Meter
14-TORP-BUF	Buffer Solution and Electrode Test Kit (10 Powder Packets)
14-TOP-STOR	ORP Electrode Storage Solution

BRACKETS, FILTER & MEMBRANE CLIPS

Filter Housing Brackets

Slimline Single Bracket



P/N

14-40203
14-40204
14-40207

Desc

White Steel
White Steel
Steel

Slimline Double Bracket



14-4142PL
14-4142
14-4142U

White Plastic, Bent Upward
White Steel, Bent Downward
White Steel, Bent Upward

Slimline Triple Bracket



14-4169PL
14-4169
14-4169U

White Plastic, Bent Upward
White Steel, Bent Downward
White Steel, Bent Upward

Standard Single Bracket



14-40203
14-40002

White Steel
Steel with Screws
only fits Pentek #10 Housing

Standard Double & Triple Bracket



14-4150
14-41213

Double White Steel
Triple White Steel for 20" Housing

Big Boy Brackets



14-40205
14-40206
14-40211
14-40212

Single White Steel
Single White Aluminum
Dbl. White Steel, Bent Downward
Trip. White Steel, Bent Downward

Filter & Membrane Clips

Filter Clip



P/N

14-EC2
14-460W

Desc

2" White
2" White

Membrane Clip



14-EC25
14-463W
14-461BL

2 1/2" White
2 1/2" White
2 1/2" Black

Dual Filter Clip



14-ECD2

2" White

Filter / Membrane Clip



14-EDC225
14-462WT

2" & 2 1/2" White
2" & 2 1/2" White

Dual Membrane Clip



14-EDC25
14-465W

2 1/2" White
2 1/2" White

HOUSINGS, WRENCHES & O-RINGS

Pentek Filter Housings



Slimline, no Pressure Relief

P/N	Desc
14-H8133	5" x 1/4", Clear/Blue
14-H8114	10" x 1/4", Blue/Black
14-H8006	10" x 3/8", Blue/Black
14-H8196	10" x 1/2", Blue/Black
14-H8215	10" x 1/2", Clear/Blue
14-H8131	20" x 1/4", Blue/Black

Slimline, with Pressure Relief

14-H8137	5" x 1/4", Blue/Black
14-H8115	10" x 1/4", Blue/Black
14-H8005	10" x 3/8", Blue/Black
14-H8195	10" x 1/2", Blue/Black
14-H8214	10" x 1/2", Clear/Blue

#10, no Pressure Relief

14-H80100	10" x 3/4", Blue/Black
14-H80101	10" x 3/4", Clear/Blue
14-H80200	20" x 3/4", Blue/Black
14-H80300	Hot - High Pressure, 10" x 3/4", Black/Black

#10, with Pressure Relief

14-H80110	10" x 3/4", Blue/Black
14-H80111	10" x 3/4", Clear/Blue
14-H80210	20" x 3/4", Blue/Black
14-H80114	Valve in head, 10" x 3/4", Clear/Blue

Big Blue, no Pressure Relief

14-H80350	10" x 1", Blue/Black
14-H80360	10" x 1 1/2", Blue/Black
14-H80354	20" x 1", Blue/Black
14-H80364	20" x 1 1/2", Blue/Black

Big Blue, with Pressure Relief

14-H80351	10" x 1", Blue/Black
14-H80349	10" x 1", Clear/Blue
14-H80361	10" x 1 1/2", Blue/Black
14-H80355	20" x 1", Blue/Black
14-H80365	20" x 1 1/2", Blue/Black

Housing Wrenches



Slimline

P/N	Desc
14-0291	4 Spline, Double O-Ring
14-0294	6 Spline
14-0298	Fits-All, Double O-Ring

Pentek #10

14-0295	4 Spline, Pentek #10
14-0299	Spanner Wrench Fits Pentair 3/4" Housings


Big Blue

14-0297T	4 Spline, Double O-Ring
14-0296	6 Spline, Pentek

Membrane/Housing Wrench

14-0290	Standard Gripper Wrench
---------	-------------------------

Housing O-Rings



for Double O-Ring Housings

14-H6013-1	Top O-Ring for 10" Housings
14-H6013-2	Bottom O-Ring for 10" Housings
14-H6623-1	Top O-Ring for 20" Housings
14-H6623-2	Bottom O-Ring for 20" Housings
14-HBBORING	Top of Big Boy Housings
14-H6813-1	Top of Big Boy Housings
14-H6813-2	Bottom of Big Boy Housings

for Single O-Ring Housings


14-HORING	Slimline
14-5001	Slimline
14-5000	Heavy Duty #10
14-5002	Big Blue

FILTER HOUSINGS & COUPLERS

Double O-Ring Filter Housings



- Double O-Rings
- Double Protection



Slimline, no Pressure Relief

P/N	Desc
14-H1004CL	10" x 1/4", Clear/White
14-H1004W	10" x 1/4", White/White
14-H1006W	10" x 3/8", White/White
14-H1008W	10" x 1/2", White/White
14-H1012W	10" x 3/4", White/White

Slimline, with Pressure Relief

P/N	Desc
14-H2008PW	20" x 1/2", Blue/Black
14-H2012PW	20" x 3/4", Blue/Black

Big Boy, with Pressure Relief

P/N	Desc
14-H1016PB	10" x 1", Blue/Black
14-H2016PB	20" x 1", Blue/Black
14-H2024PB	20" x 1 1/2", Blue/Black

Single O-Ring Filter Housings




Slimline, no Pressure Relief

P/N	Desc
14-HS1004CL	10" x 1/4", Clear/White
14-HS1004W	10" x 1/4", White/White
14-HS1006W	10" x 3/8", White/White
14-HS1008BL	10" x 1/2", Blue/Blue
14-HS1008CL	10" x 1/2", Clear/White
14-HS1008W	10" x 1/2", White/White
14-HS1012W	10" x 3/4", White/White

Big Boy, with Pressure Relief

P/N	Desc
14-HS1016PB	10" x 1", Blue/Black
14-HS2016PB	20" x 1", Blue/Black

Housing Couplers



P/N	Desc
14-QMP506	Chrome, 1/4" x 1/4" w/ O-Rings
16-AHN4	Polypropylene, 1/4" x 1/4"
16-AHN6	Polypropylene, 3/8" x 3/8"
15-N4HPN4	Nylon, 1/4" x 1/4"
15-N6HPN6	Nylon, 3/8" x 3/8"
15-N8HPN8	Nylon, 1/2" x 1/2"
15-N12HPN12	Nylon, 3/4" x 3/4"
15-P4HPN4	Polyethylene Black, 1/4" x 1/4"
15-P8HPN8	Polyethylene Black, 1/2" x 1/2"
15-P12HPN12	Polyethylene Black, 3/4" x 3/4"

REPLACEMENT FILTERS

Dishwasher



14-WSD-1 Dishwasher Descaler

General Electric



14-WSG-1 Replacement Filter

LG



14-WSL-1 Replacement Filter

Amana



14-WSA-1 Replacement Filter



14-WSG-2 Replacement Filter



14-WSL-2 Replacement Filter

Frigidaire Kenmore



14-WSF-2 Replacement Filter



14-WSG-3 Replacement Filter



14-WSL-4 Replacement Filter

LG Sears & Kenmore



14-WSF-7 Replacement Filter



14-WSG-4 Replacement Filter



14-WSL-3 Replacement Filter

REPLACEMENT FILTERS

Maytag



14-WSM-1 Replacement Filter

Samsung



14-WSS-2 Replacement Filter

Whirlpool Kitchen Aid



14-WSW-2 Replacement Filter



14-WSW-3 Replacement Filter

Samsung



14-WSS-1 Replacement Filter

Whirlpool Maytag



14-WSM-2 Replacement Filter



14-WSW-4 Replacement Filter

Sears & Kenmore



14-WSK-1 Replacement Filter

Whirlpool 3M* / Cuno* & Bosch



14-WSBQ-1 Replacement Filter

Whirlpool



14-WSI-1 Replacement Filter

Whirlpool Samsung



14-WSI-2 Replacement Filter

TANKS

BACKSTOP®

Hydronic Tanks



	Vol.	Ht.	Dia
12-H151/2	2.1	12-1/2"	8"
12-H301/2	4.5	15"	11"
12-H601/2	6	16-5/8"	11-1/2"
12-H901/2	14	23-1/2"	15-1/2"
12-H1201	20	30-1/2"	15-1/2"



BackStop® Hydronic Expansion Tanks absorb the expansion pressure in residential or commercial hydronic (forced hot water) heating and cooling systems. Each tank is pressure rated up to 150 PSI and equipped with a carbon steel connection. High-grade, deep drawn steel is used for improved strength to weight ratio. This tank is not to be used for potable water systems.

Well Tanks



	Vol.	Ht.	Dia
12-AW103S1"	14	23-1/2"	15-1/2"
12-AW104S1"	20	30-1/2"	15-1/2"
12-AW105ST1"	28	39-1/2"	15-1/2"
12-AW105S1-1/4"	32	29-1/2"	22"
12-AW106S1-1/4"	44	35-1/2"	22"
12-AW107S1-1/4"	62	47"	22"
12-AW108S1-1/4"	81	57"	22"
12-AW109S1-1/4"	119	55"	26"

BackStop® Well Tanks provide optimal control of pump performance by allowing efficient cycling, in turn, extending the life of the pump. Each tank is pressure rated up to 150 PSI and equipped with a solid stainless steel connection. High-grade rolled steel for improved strength-to-weight ratio. Larger models feature an attached steel base that is both rugged and stable.

Tank Accessories Product List



Description

Diameter

12-SS1204
12-SS16EL

Stainless Steel Tank Adapter
Stainless Steel Close Coupled 1" Elbow

3/4" FIP Cap Drilled 1/4" FIP
For 14 & 20 Gallon Tanks

TANKS

BACKSTOP®

Thermal Expansion Tanks



3/4" Stainless Steel Connection

	Acceptance	Volume	Color
12-A100ALM	.25 Gal	.5 Gal	Almond
12-A101	1.2 Gal	2.1 Gal	Almond
12-A102	3.2 Gal	4.5 Gal	Almond
12-A110	7.4 Gal	10 Gal	Almond

1" Stainless Steel Connection

	Acceptance	Volume	Color
12-A103	10.3 Gal	14 Gal	Almond
12-A104	14.6 Gal	20 Gal	Almond

Plastic R.O. Storage Tanks



1/4" Stainless Steel Connection

	Acceptance	Volume	Color
12-P4-W	3.2 Gal	4.5 Gal	White
12-P4-BL	3.2 Gal	4.5 Gal	Blue

AQUASKY

R.O. Storage Tanks



R.O. Storage Tanks with 1/4" Stainless Steel Connection

	Acceptance	Volume	Color
12-A2-W1/4	1.2 Gal	2.0 Gal	White
12-A2-BK1/4	1.2 Gal	2.0 Gal	Black
12-A3-W1/4	2.5 Gal	3.2 Gal	White
12-A3-BL1/4	2.5 Gal	3.2 Gal	Blue
12-A3-BK1/4	2.5 Gal	3.2 Gal	Black
12-A4-W1/4	3.2 Gal	4.5 Gal	White
12-A4-BL1/4	3.2 Gal	4.5 Gal	Blue
12-A4-BK1/4	3.2 Gal	4.5 Gal	Black
12-A6-W1/4	4.3 Gal	6.0 Gal	White
12-A6-BL1/4	4.3 Gal	6.0 Gal	Blue
12-A10-W1/4	7.4 Gal	10.0 Gal	White
12-A10-BL1/4	7.4 Gal	10.0 Gal	Blue
12-A14-W1/4	10.3 Gal	14.0 Gal	White
12-A14-BL1/4	10.3 Gal	14.0 Gal	Blue

R.O. Storage Tanks with 1/2" Stainless Steel Connection

	Acceptance	Volume	Color
12-A2-BK1/2	1.2 Gal	2.0 Gal	Black
12-A3-BK1/2	2.5 Gal	3.2 Gal	Black
12-A4-BK1/2	3.2 Gal	4.5 Gal	Black

R.O. Storage Tanks with 3/4" Stainless Steel Connection

	Acceptance	Volume	Color
12-A14BL3/4	10.3 Gal	14.0 Gal	Blue
12-A14W3/4	10.3 Gal	14.0 Gal	White
12-A20BL3/4	14.6 Gal	20.0 Gal	Blue

R.O. Storage Tanks with 1 1/4" Stainless Steel Connection

	Acceptance	Volume	Color
12-AW105S1-1/4	21.8 Gal	32.0 Gal	Blue
12-AW106S1-1/4	30.2 Gal	44.0 Gal	Blue
12-AW107S1-1/4	35.2 Gal	62.0 Gal	Blue
12-AW108S1-1/4	44.0 Gal	81.0 Gal	Blue

SHUT-OFF VALVES, PERMEATE PUMPS & AIR GAPS

Auto Shut-Off Valve



11-ASV400G

11-ASV300JW

11-ASV100

11-ATERMNTR

11-ASV400G
11-ASV300JW
11-ASV100
11-ATERMNTR

1/4" Quick-Connect
1/4" Jaco
1/4" FIP
1/4" FIP (3 connects)

Air Gap

GAP-IT



11-G61S2

11-G61S1

11-G61S2
11-G61S1

1 1/2"
2"

IN-LINE



11-G211211

11-G211212

11-G211213

11-G211211
11-G211212
11-G211213

Standard Gap-A-Flow
Hi Flow Gap-A-Flow
Gap-A-Flow Coupling

Aquatec Permeate Pump




11-AQ1000
11-AQ1000BK

Pump
Pump Bracket

Air Gap

DRAIN ADAPTER



11-GDLA-D

11-GDLA-9

11-GDLA-12

11-GDLA-G

11-GDLA-D
11-GDLA-G
11-GDLA-G8
11-GDLA-9
11-GDLA-12
11-GDLA-925

with 3/8" John Guest
with 3/8" John Guest
with 1/2" Barb Insert
with 3/8" John Guest
with 3/8" John Guest
with 1/4" John Guest

WALL MOUNT



11-G3001

for R.O. Faucet

Air Gaps



50-38

50-T52-RO

50-T52-HF1

50-38 Standard
50-T52-RO w/ 1/4" JG R.O. Port
50-T52-HF1 Dual Dishwasher

Mister Drain



50-6095

MEMBRANES, FLOW RESTRICTORS & CHECK VALVES

R.O. Membranes



TFC

P/N	Desc
18-TFC-24DF	24 Gallon, Dow Filmtec
18-TFC25	25 Gallon
18-TFC35	35 Gallon
18-TFC-36DF	36 Gallon, Dow Filmtec
18-TFC50	50 Gallon
18-TFC-50DF	50 Gallon, Dow Filmtec
18-TFC75	75 Gallon
18-TFC-75DF	75 Gallon, Dow Filmtec
18-TFC100	100 Gallon
18-TFC150	150 Gallon

TFC Revolutionary Technology

**For High TDS or Hard Water*

P/N	Desc
18-TFC75HD	75 Gallon

Clack Replacement

P/N	Desc
18-TFC18CK	18 Gallon
18-TFC25CK	25 Gallon

Culligan Replacement

P/N	Desc
18-TFC36CU	36 Gallon

Rainsoft Replacement

P/N	Desc
18-TFC22R	22 Gallon

4" x 40" Membrane

P/N	Desc
18-T440-150	2400 Gallon

Flow Restrictor

1/4" QUIK-LOK IN-LINE



11-ROFR150G	150ML
11-ROFR200G	200ML
11-ROFR250G	250ML
11-ROFR300G	300ML
11-ROFR420G	420ML
11-ROFR550G	550ML
11-ROFR800G	800ML
11-ROFR1000G	1000ML

IN-TUBE CAPILLARY



11-ROFRRED	10GPD
11-ROFRBRWN	18GPD
11-ROFRBLAK	26GPD
11-ROFRYELW	35GPD
11-ROFRGREN	50GPD
11-ROFRBLUE	70GPD
11-ROFRWHITE	100GPD

Check Valve



11-ROCV807	1/4" QL x 1/8" MIP Angle
11-ROCV806	1/4" Jaco x 1/8" MIP Angle
11-ROCV805	1/4" QL x 1/8" MIP Straight

QUIK LOK



16-A1/4SCV	QL x QL 1/4" x 1/4"
------------	------------------------

JOHN GUEST



16-G1/4SCV	JG x JG 1/4" x 1/4"
16-G3/8SCV	JG x JG 3/8" x 3/8"

R.O. Membrane Housing



11-TRO111	Standard
11-TROORING-BODY	Body O-Ring for 11-TRO111
11-TROORING-CAP	Cap-O-Ring for 11-TRO111

R.O. SYSTEM ACCESSORIES

Leak-Lok



P/N	Desc
14-LPS-4	Leak-Lok unit 1/4"
14-LPS-6	Leak-Lok unit 3/8"
14-LPS-4PAD	Replacement pads (pack of 2)

Water Minder Mastering Valve

These unique, patented meter valves provide automatic shut off of a potable water system for filter replacement after a pre-determined quantity of water has been filtered.

Settings are in 100 gallon increments.

Operating pressures 15 to 125 psi.



P/N	Desc
14-WM1800	Capacity 1800 gallons
14-WM3800	Capacity 3800 gallons

Stand Pipe & Barb Adapters



P/N	Desc
17-3208047	w/ 1/2" JG (top), 1/4" JG (side)
17-0860647	1/2" Stem x 3/8" Barb, 45 deg
17-0860847	1/2" Stem x 1/2" Barb, 45 deg
17-0861047	1/2" Stem x 5/8" Barb, 45 deg

Water Pressure Regulators



P/N	Desc
06-6P60B	1/4" FIP, 0 to 60psi
06-6P60-4	1/4" FIP, 0 to 125psi

LEAK BLOCK SENSOR LBS-10



- Latching solenoid valve
- Up to 5gpm flow
- 3/8" NPT female thread ID
- 1/2" BSP male thread OD
- Low battery alert
- At end of battery life, solenoid latches closed as a failsafe


Water Pressure Limiter

This Pressure Limiter protects reverse osmosis systems, water filters, ice makers, coffee machines, chillers, hot tanks and water coolers.

Maximum Input Pressure: 230 PSI
Maximum Temperature: 104°F (40°C)



P/N	Desc
11-FILTA	60 PSI limit with 1/4" Tube Inlet/Outlet



P/N: 14-TLBS10

SHURFLO PUMPS

Cordless Delivery Pumps



13-8005-733



13-2088-154

ARROW

Part #	Desc.
NSF 13-2088-144	1/2" NPT Male
NSF 13-2088-154	1/2" NPT Male
NSF 13-8005-155	1/2" NPT Male
NSF 13-8005-236	3/8" FPT Female
NSF 13-8005-260	3/8" NPT Male
NSF 13-8005-733	3/8" FPT Female
NSF 13-8005-890	3/8" FPT Female

SHURFLO

Part #	Desc.
2088-554-144	12 VDC
2088-594-154	115 VAC
8005-733-155	115 VAC
8005-233-236	115 VAC
8005-912-260	115 VAC
8005-733-255	115 VAC
8005-992-890	24 VAC

Booster Pumps



13-8075-313



13-8010-200

ARROW

Part #	Desc.
NSF 13-8005-480	3/8" FPT Female
NSF 13-8010-200	3/8" FPT Female
NSF 13-8010-201	3/8" FPT Female
NSF 13-8010-210	3/8" FPT Female
NSF 13-8075-313	3/8" FPT Female

SHURFLO

Part #	Desc.
8005-952-480	24/36 VDC
8010-101-200	24 VDC
8010-101-201*	24 VDC
8010-102-210	24 VDC
8075-111-313	24VAC/ VDC

*BYPASS

Corded Delivery Pumps



13-8025-236

ARROW

Part #	Desc.
NSF 13-2088-594	1/2" NPT Male
NSF 13-8025-236	3/8" FPT Female
NSF 13-8025-256	3/8" FPT Female
NSF 13-8025-289	3/8" FPT Female
NSF 13-8025-733	3/8" FPT Female

SHURFLO

Part #	Desc.
2088-594-144	115 VAC
8025-213-236	115 VAC
8025-213-256*	115 VAC
8025-933-289	115 VAC
8025-733-236	115 VAC

*BYPASS

Mini Water Boost System



ARROW

Part #	Desc.
NSF 13-804001	

SHURFLO

Part #	Desc.
804-001	

- 60 PSI
- 115 Volt Corded
- 1/4 x 3/8" Barb Adapter
- 21oz. Accumulator Tank

Accessories



13-60-044



13-181201



13-9409001

ARROW

Part #	Desc.
NSF 13-60-044	Corded Power Supply
NSF 13-181201	21oz. Nylon Accumulator Tank
NSF 13-9409000	Tank Pressure Switch
NSF 13-9409001	Tank Pressure Switch
NSF 13-9409002	Tank Pressure Switch

SHURFLO

Part #	Desc.
60-044-00	100-240 VAC
181-201	1/2" NPT Bracket
94-090-00	1/4" FPT 25-60 PSI
94-090-01	1/4" JG 25-60 PSI
94-090-02	3/8" JG 25-60 PSI

DRINKING WATER FILTER SYSTEMS

R.V. & Motor Home

With 3/4" Hose Thread Swivel Fittings



03-459S Double 10" Housings
5 Micron Sediment Filter
Aqua Block Radial Flow Carbon Filter

Under Counter Applications

With 1/4" Compression Fittings



03-441KXS Double 10" Housings
5 Micron Sediment Filter
Aqua Block Brand Carbon Block Filter

Replacement Filter Sets

03-9000KXS



03-9001KXS



03-9000KXS 1 5 Micron Sediment filter
1 Aqua Block Brand Carbon Block Filter

03-9501KXS 1 5 Micron Sediment filter
1 Aqua Block Brand Carbon Block Filter

03-9001KXS 1 5 Micron Sediment filter
2 Aqua Block Brand Carbon Block Filters

03-446S Double 10" Housings
10" 5 Micron Sediment Filter
10" 1/2 KDF 1/2 GAC Carbon Filter

03-462S Triple 10" Housings
No Filter Elements Included
Select Cartridges from Filter pages

NEED ASSISTANCE WITH AN ORDER?

Contact Your Salesman
or Call Customer Service
at 1-800-242-7769

COMPLETE REVERSE OSMOSIS SYSTEMS

R.O. System



Complete system is boxed in one convenient package.

Includes:

- 3.2 Gallon (acceptance) Tank**
- Long Reach Faucet***
- Drain Saddle**
- Supply Adapter with Ball Valve**
- Tubing**
- Tank Valve**

***Optional Designer Faucet is Available**



Certified Faucet, Holding Tank and Components

P/N	Desc
11-RO-550	5 Stage 50 GPD Complete Boxed System
11-RO-450	4 Stage 50 GPD Complete Boxed System

Replacement Kit for 5 Stage R.O. Units

03-9200S

- 1 In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 1 Aqua Block Radial Flow Carbon Filter
- 1 Premium Granular Activated Carbon Filter
- 2 1/4" Quik-Lok Fittings for In-Line R.O. Post Filters

03-9012S

- 1 In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 1 Granular Activated Carbon Filter
- 1 Aqua Block Radial Flow Carbon Filter
- 2 1/4" Quik-Lok Fittings for In-Line R.O. Post Filters

03-9009KXS

- 1 Premium In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 2 Aqua Block Radial Flow Carbon Filters
- 2 1/4" Brass Fittings for In-Line R.O. Post Filter
- 1 Teflon Tape for Brass Fittings

Replacement Kit for 4 Stage R.O. Units

03-9011S

- 1 In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 1 Aqua Block Radial Flow Carbon Filter
- 2 1/4" Quik Lok Fittings for In-Line R.O. Post Filters

**Other R.O. Systems are available.
Call our office or ask your salesman for details.**

FAUCETS



Standard Faucet without Air Gap

Standard Faucet with Air Gap

P/N
14-303
14-303BN

Finish
with Air Gap, Chrome
with Air Gap, Brushed Nickel

P/N
14-304
14-304BN

Finish
with Air Gap, Chrome
with Air Gap, Brushed Nickel

Standard Faucet Long Reach without Air Gap

Standard Faucet Long Reach with Air Gap

P/N
14-303LR
14-303LRT
14-303LRBN
14-303LRBNT
14-303LRORB
14-303LRWHT
14-303LRBLK
14-303LRALM
14-303LRBSS
14-303LRSN

Finish
without Air Gap, Chrome
without Air Gap, Chrome (Import)
without Air Gap, Brushed Nickel
without Air Gap, Brushed Nickel (Import)
without Air Gap, Oil Rubbed Bronze
without Air Gap, White
without Air Gap, Black
without Air Gap, Almond
without Air Gap, Brushed S/Steel
without Air Gap, Satin Nickel

P/N
14-304LRBN
14-304LRBNT
14-304LRORB
14-304LRSN
14-304LR
14-304LRT
14-304LRWHT
14-304LRBSS

Finish
with Air Gap, Brushed Nickel
with Air Gap, Brushed Nickel (Import)
with Air Gap, Oil Rubbed Bronze
with Air Gap, Satin Nickel
with Air Gap, Chrome
with Air Gap, Chrome (Import)
with Air Gap, White
with Air Gap, Brushed Stainless Steel

Standard Faucet Repair Kit

Faucet Hole Cover



P/N
14-330

Desc
for Standard Faucets



14-9356-1

14-9356

Stud Extender



P/N
14-346

Desc
3"

P/N
14-9356-1
14-9356

Desc
1 3/4" Faucet Hole Cover
2" Faucet Hole Cover with ring

FAUCETS



Designer Faucet Ceramic Disk - without Air Gap

WITHOUT AIR GAP

P/N	Finish
14-3T703BN	Brushed Nickel
14-3T703CH	Chrome
14-3T703OR	Oil Rubbed Bronze
14-3T703CHT	Chrome
14-3T888BN	Brushed Nickel
14-3T888CH	Chrome
14-3T888OR	Oil Rubbed Bronze
14-3T888CHT	Chrome
14-3T905BN	Brushed Nickel
14-3T905CH	Chrome
14-3T905OR	Oil Rubbed Bronze
14-3T905CHT	Chrome
14-3T623CH	Chrome
14-3T623BN	Brushed Nickel

Designer Faucet Ceramic Disk - with Air Gap

WITH AIR GAP

P/N	Finish
14-3AG703BN	Brushed Nickel
14-3AG703CH	Chrome
14-3AG703OR	Oil Rubbed Bronze
14-3AG905BN	Brushed Nickel
14-3AG905CH	Chrome
14-3AG905OR	Oil Rubbed Bronze

Designer Faucet Ceramic Disk - w/ & w/o Air Gap

P/N	Finish
14-3P07AGBN	w/ Air Gap, Brushed Nickel
14-3P07AGCH	w/ Air Gap, Chrome
14-3P07AGOR	w/ Air Gap, Oil Rubbed Bronze
14-3P07AGWT	w/ Air Gap, White
14-3P07BN	w/o Air Gap, Brushed Nickel
14-3P07CH	w/o Air Gap, Chrome
14-3P07OR	w/o Air Gap, Oil Rubbed Bronze
14-3P07WT	w/o Air Gap, White

WATER SOFTENERS

ARROW'S "SOFT 25" NEW AGE WATER SOFTENER

- *Attractive, Modern Electronic Design*
- *1 1/2 Cubic Feet of Cation Resin*
- *Electronic Meter with Overdrive
(Allows Quick Set-up and Programming)*
- *Double Backwash*
- *Variable Reserve*
- *Soft Water Brine Refill*
- *10" x 54" Mineral Tank*
- *18" x 33" Brine Tank*
- *Recommend for 1.5 to 10 G.P.M.*
- *Capacity 45,000 Grains*



Includes quick connect clips for easy setup and maintenance.



Arrow Part #: 14-SOFT25

SHUT-OFF VALVES, PERMEATE PUMPS & AIR GAPS

Auto Shut-Off Valve



11-ASV400G

11-ASV300JW

11-ASV100

11-ATERMNTR

11-ASV400G
11-ASV300JW
11-ASV100
11-ATERMNTR

1/4" Quick-Connect
1/4" Jaco
1/4" FIP
1/4" FIP (3 connects)

Air Gap

GAP-IT



11-G61S2

11-G61S1

11-G61S2
11-G61S1

1 1/2"
2"

IN-LINE



11-G211211

11-G211212

11-G211213

11-G211211
11-G211212
11-G211213

Standard Gap-A-Flow
Hi Flow Gap-A-Flow
Gap-A-Flow Coupling

Aquatec Permeate Pump




11-AQ1000
11-AQ1000BK

Pump
Pump Bracket

Air Gap

DRAIN ADAPTER



11-GDLA-D

11-GDLA-9

11-GDLA-12

11-GDLA-G

11-GDLA-D
11-GDLA-G
11-GDLA-G8
11-GDLA-9
11-GDLA-12
11-GDLA-925

with 3/8" John Guest
with 3/8" John Guest
with 1/2" Barb Insert
with 3/8" John Guest
with 3/8" John Guest
with 1/4" John Guest

WALL MOUNT



11-G3001

for R.O. Faucet

Air Gaps



50-38

50-T52-RO

50-T52-HF1

50-38 Standard
50-T52-RO w/ 1/4" JG R.O. Port
50-T52-HF1 Dual Dishwasher

Mister Drain



50-6095

MEMBRANES, FLOW RESTRICTORS & CHECK VALVES

R.O. Membranes



TFC

P/N	Desc
18-TFC-24DF	24 Gallon, Dow Filmtec
18-TFC25	25 Gallon
18-TFC35	35 Gallon
18-TFC-36DF	36 Gallon, Dow Filmtec
18-TFC50	50 Gallon
18-TFC-50DF	50 Gallon, Dow Filmtec
18-TFC75	75 Gallon
18-TFC-75DF	75 Gallon, Dow Filmtec
18-TFC100	100 Gallon
18-TFC150	150 Gallon

TFC Revolutionary Technology

**For High TDS or Hard Water*

P/N	Desc
18-TFC75HD	75 Gallon

Clack Replacement

P/N	Desc
18-TFC18CK	18 Gallon
18-TFC25CK	25 Gallon

Culligan Replacement

P/N	Desc
18-TFC36CU	36 Gallon

Rainsoft Replacement

P/N	Desc
18-TFC22R	22 Gallon

4" x 40" Membrane

P/N	Desc
18-T440-150	2400 Gallon

Flow Restrictor

1/4" QUIK-LOK IN-LINE



11-ROFR150G	150ML
11-ROFR200G	200ML
11-ROFR250G	250ML
11-ROFR300G	300ML
11-ROFR420G	420ML
11-ROFR550G	550ML
11-ROFR800G	800ML
11-ROFR1000G	1000ML

IN-TUBE CAPILLARY



11-ROFRRED	10GPD
11-ROFRBRWN	18GPD
11-ROFRBLAK	26GPD
11-ROFRYELW	35GPD
11-ROFRGREN	50GPD
11-ROFRBLUE	70GPD
11-ROFRWHITE	100GPD

Check Valve



11-ROCV807	1/4" QL x 1/8" MIP Angle
11-ROCV806	1/4" Jaco x 1/8" MIP Angle
11-ROCV805	1/4" QL x 1/8" MIP Straight

QUIK LOK



16-A1/4SCV	QL x QL 1/4" x 1/4"
------------	------------------------

JOHN GUEST



16-G1/4SCV	JG x JG 1/4" x 1/4"
16-G3/8SCV	JG x JG 3/8" x 3/8"

R.O. Membrane Housing



11-TRO111	Standard
11-TROORING-BODY	Body O-Ring for 11-TRO111
11-TROORING-CAP	Cap-O-Ring for 11-TRO111

R.O. SYSTEM ACCESSORIES

Leak-Lok



P/N	Desc
14-LPS-4	Leak-Lok unit 1/4"
14-LPS-6	Leak-Lok unit 3/8"
14-LPS-4PAD	Replacement pads (pack of 2)

Water Minder Mastering Valve

These unique, patented meter valves provide automatic shut off of a potable water system for filter replacement after a pre-determined quantity of water has been filtered.

Settings are in 100 gallon increments.

Operating pressures 15 to 125 psi.



P/N	Desc
14-WM1800	Capacity 1800 gallons
14-WM3800	Capacity 3800 gallons

Stand Pipe & Barb Adapters



P/N	Desc
17-3208047	w/ 1/2" JG (top), 1/4" JG (side)
17-0860647	1/2" Stem x 3/8" Barb, 45 deg
17-0860847	1/2" Stem x 1/2" Barb, 45 deg
17-0861047	1/2" Stem x 5/8" Barb, 45 deg

Water Pressure Regulators



P/N	Desc
06-6P60B	1/4" FIP, 0 to 60psi
06-6P60-4	1/4" FIP, 0 to 125psi

LEAK BLOCK SENSOR LBS-10



- Latching solenoid valve
- Low battery alert
- Up to 5gpm flow
- At end of battery life, solenoid latches closed as a failsafe
- 3/8" NPT female thread ID
- 1/2" BSP male thread OD


Water Pressure Limiter

This Pressure Limiter protects reverse osmosis systems, water filters, ice makers, coffee machines, chillers, hot tanks and water coolers.

Maximum Input Pressure: 230 PSI
Maximum Temperature: 104°F (40°C)



P/N	Desc
11-FILTA	60 PSI limit with 1/4" Tube Inlet/Outlet



P/N: 14-TLBS10

SHURFLO PUMPS

Cordless Delivery Pumps



13-8005-733



13-2088-154

ARROW

Part #	Desc.
NSF 13-2088-144	1/2" NPT Male
NSF 13-2088-154	1/2" NPT Male
NSF 13-8005-155	1/2" NPT Male
NSF 13-8005-236	3/8" FPT Female
NSF 13-8005-260	3/8" NPT Male
NSF 13-8005-733	3/8" FPT Female
NSF 13-8005-890	3/8" FPT Female

SHURFLO

Part #	Desc.
2088-554-144	12 VDC
2088-594-154	115 VAC
8005-733-155	115 VAC
8005-233-236	115 VAC
8005-912-260	115 VAC
8005-733-255	115 VAC
8005-992-890	24 VAC

Booster Pumps



13-8075-313



13-8010-200

ARROW

Part #	Desc.
NSF 13-8005-480	3/8" FPT Female
NSF 13-8010-200	3/8" FPT Female
NSF 13-8010-201	3/8" FPT Female
NSF 13-8010-210	3/8" FPT Female
NSF 13-8075-313	3/8" FPT Female

SHURFLO

Part #	Desc.
8005-952-480	24/36 VDC
8010-101-200	24 VDC
8010-101-201*	24 VDC
8010-102-210	24 VDC
8075-111-313	24VAC/ VDC

*BYPASS

Corded Delivery Pumps



13-8025-236

ARROW

Part #	Desc.
NSF 13-2088-594	1/2" NPT Male
NSF 13-8025-236	3/8" FPT Female
NSF 13-8025-256	3/8" FPT Female
NSF 13-8025-289	3/8" FPT Female
NSF 13-8025-733	3/8" FPT Female

SHURFLO

Part #	Desc.
2088-594-144	115 VAC
8025-213-236	115 VAC
8025-213-256*	115 VAC
8025-933-289	115 VAC
8025-733-236	115 VAC

*BYPASS

Mini Water Boost System



ARROW

Part #	Desc.
NSF 13-804001	

SHURFLO

Part #	Desc.
804-001	

- 60 PSI
- 115 Volt Corded
- 1/4 x 3/8" Barb Adapter
- 21oz. Accumulator Tank

Accessories



13-60-044

13-181201

13-9409001

ARROW

Part #	Desc.
NSF 13-60-044	Corded Power Supply
NSF 13-181201	21oz. Nylon Accumulator Tank
NSF 13-9409000	Tank Pressure Switch
NSF 13-9409001	Tank Pressure Switch
NSF 13-9409002	Tank Pressure Switch

SHURFLO

Part #	Desc.
60-044-00	100-240 VAC
181-201	1/2" NPT Bracket
94-090-00	1/4" FPT 25-60 PSI
94-090-01	1/4" JG 25-60 PSI
94-090-02	3/8" JG 25-60 PSI

DRINKING WATER FILTER SYSTEMS

R.V. & Motor Home

With 3/4" Hose Thread Swivel Fittings



03-459S Double 10" Housings
5 Micron Sediment Filter
Aqua Block Radial Flow Carbon Filter

Under Counter Applications

With 1/4" Compression Fittings



03-441KXS Double 10" Housings
5 Micron Sediment Filter
Aqua Block Brand Carbon Block Filter

Replacement Filter Sets

03-9000KXS



03-9001KXS



03-9000KXS 1 5 Micron Sediment filter
1 Aqua Block Brand Carbon Block Filter

03-9501KXS 1 5 Micron Sediment filter
1 Aqua Block Brand Carbon Block Filter

03-9001KXS 1 5 Micron Sediment filter
2 Aqua Block Brand Carbon Block Filters

03-446S Double 10" Housings
10" 5 Micron Sediment Filter
10" 1/2 KDF 1/2 GAC Carbon Filter

03-462S Triple 10" Housings
No Filter Elements Included
Select Cartridges from Filter pages

NEED ASSISTANCE WITH AN ORDER?

Contact Your Salesman
or Call Customer Service
at 1-800-242-7769

COMPLETE REVERSE OSMOSIS SYSTEMS

R.O. System



Complete system is boxed in one convenient package.

Includes:

- 3.2 Gallon (acceptance) Tank**
- Long Reach Faucet***
- Drain Saddle**
- Supply Adapter with Ball Valve**
- Tubing**
- Tank Valve**

***Optional Designer Faucet is Available**



Certified Faucet, Holding Tank and Components

P/N	Desc
11-RO-550	5 Stage 50 GPD Complete Boxed System
11-RO-450	4 Stage 50 GPD Complete Boxed System

Replacement Kit for 5 Stage R.O. Units

03-9200S

- 1 In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 1 Aqua Block Radial Flow Carbon Filter
- 1 Premium Granular Activated Carbon Filter
- 2 1/4" Quik-Lok Fittings for In-Line R.O. Post Filters

03-9012S

- 1 In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 1 Granular Activated Carbon Filter
- 1 Aqua Block Radial Flow Carbon Filter
- 2 1/4" Quik-Lok Fittings for In-Line R.O. Post Filters

03-9009KXS

- 1 Premium In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 2 Aqua Block Radial Flow Carbon Filters
- 2 1/4" Brass Fittings for In-Line R.O. Post Filter
- 1 Teflon Tape for Brass Fittings

Replacement Kit for 4 Stage R.O. Units

03-9011S

- 1 In-line R.O. Post Filter
- 1 5 Micron Sediment filter
- 1 Aqua Block Radial Flow Carbon Filter
- 2 1/4" Quik Lok Fittings for In-Line R.O. Post Filters

**Other R.O. Systems are available.
Call our office or ask your salesman for details.**

FAUCETS



Standard Faucet without Air Gap

P/N
14-303
14-303BN

Finish
with Air Gap, Chrome
with Air Gap, Brushed Nickel



Standard Faucet with Air Gap

P/N
14-304
14-304BN

Finish
with Air Gap, Chrome
with Air Gap, Brushed Nickel

Standard Faucet Long Reach without Air Gap

P/N
14-303LR
14-303LRT
14-303LRBN
14-303LRBNT
14-303LRORB
14-303LRWHT
14-303LRBLK
14-303LRALM
14-303LRBSS
14-303LRSN

Finish
without Air Gap, Chrome
without Air Gap, Chrome (Import)
without Air Gap, Brushed Nickel
without Air Gap, Brushed Nickel (Import)
without Air Gap, Oil Rubbed Bronze
without Air Gap, White
without Air Gap, Black
without Air Gap, Almond
without Air Gap, Brushed S/Steel
without Air Gap, Satin Nickel

Standard Faucet Long Reach with Air Gap

P/N
14-304LRBN
14-304LRBNT
14-304LRORB
14-304LRSN
14-304LR
14-304LRT
14-304LRWHT
14-304LRBSS

Finish
with Air Gap, Brushed Nickel
with Air Gap, Brushed Nickel (Import)
with Air Gap, Oil Rubbed Bronze
with Air Gap, Satin Nickel
with Air Gap, Chrome
with Air Gap, Chrome (Import)
with Air Gap, White
with Air Gap, Brushed Stainless Steel

Standard Faucet Repair Kit



P/N
14-330

Desc
for Standard Faucets

Stud Extender



P/N
14-346

Desc
3"

Faucet Hole Cover



P/N
14-9356-1
14-9356

Desc
1 3/4" Faucet Hole Cover
2" Faucet Hole Cover with ring

FAUCETS



Designer Faucet Ceramic Disk - without Air Gap

WITHOUT AIR GAP

P/N	Finish
14-3T703BN	Brushed Nickel
14-3T703CH	Chrome
14-3T703OR	Oil Rubbed Bronze
14-3T703CHT	Chrome
14-3T888BN	Brushed Nickel
14-3T888CH	Chrome
14-3T888OR	Oil Rubbed Bronze
14-3T888CHT	Chrome
14-3T905BN	Brushed Nickel
14-3T905CH	Chrome
14-3T905OR	Oil Rubbed Bronze
14-3T905CHT	Chrome
14-3T623CH	Chrome
14-3T623BN	Brushed Nickel

Designer Faucet Ceramic Disk - with Air Gap

WITH AIR GAP

P/N	Finish
14-3AG703BN	Brushed Nickel
14-3AG703CH	Chrome
14-3AG703OR	Oil Rubbed Bronze
14-3AG905BN	Brushed Nickel
14-3AG905CH	Chrome
14-3AG905OR	Oil Rubbed Bronze

Designer Faucet Ceramic Disk - w/ & w/o Air Gap

P/N	Finish
14-3P07AGBN	w/ Air Gap, Brushed Nickel
14-3P07AGCH	w/ Air Gap, Chrome
14-3P07AGOR	w/ Air Gap, Oil Rubbed Bronze
14-3P07AGWT	w/ Air Gap, White
14-3P07BN	w/o Air Gap, Brushed Nickel
14-3P07CH	w/o Air Gap, Chrome
14-3P07OR	w/o Air Gap, Oil Rubbed Bronze
14-3P07WT	w/o Air Gap, White

WATER SOFTENERS

ARROW'S "SOFT 25" NEW AGE WATER SOFTENER

- *Attractive, Modern Electronic Design*
- *1 1/2 Cubic Feet of Cation Resin*
- *Electronic Meter with Overdrive
(Allows Quick Set-up and Programming)*
- *Double Backwash*
- *Variable Reserve*
- *Soft Water Brine Refill*
- *10" x 54" Mineral Tank*
- *18" x 33" Brine Tank*
- *Recommend for 1.5 to 10 G.P.M.*
- *Capacity 45,000 Grains*



Includes quick connect clips for easy setup and maintenance.



Arrow Part #: 14-SOFT25